



SAV
SPAREPARTS
KUNDEDIENST
POST VENTAS
SERVICE NA VERKOOP
SERVIZIO POST-VENDITA
SERVICO DEPOIS DE VENDA
SERWIS POGWARANCYJNY

7725 3



REP	DIM	QTE
1	2030 x 396	1
2	2030 x 396	1
3	366 x 395	3
4	2030 x 395	1
5	366 x 395	2
6	362 x 155	4
7	1964 x 394	1
8	325 x 358	4
9	343 x 323	4



FR SECURITE
RESPECTER LES INSTRUCTIONS DE MONTAGE DECRITES DANS LA NOTICE.

EN CAUTION
FOLLOW CAREFULLY THE ASSEMBLING INSTRUCTIONS DESCRIBED IN THE DIRECTIONS.

DE SICHERHEITSVORSCHRIFTEN
BEACHTEN SIE BITTE UNBEDINGT DIE ANGEGBENEN AUFBAUVORSCHRIFTEN.

ES SEGURIDAD
RESPECTAR LAS INSTRUCCIONES DE MONTAJE DESCRIBIDAS EN EL FOLLETO.

NL VEILIGHEID
DE IN DE GEBRUIKSAANWIJZING BESCHREVEN INSTRUCTIES RESPECTEREN.




















IT SICUREZZA
RISPETTARE LE INSTRUZIONI DI MONTAGGIO DESCRITTE NEEL AVVERTENZA.

PT SEGURANCA
RESPEITAR AS INSTURACOES DE MONTAGEM DESCRIVEDAS NA INSTRUOES DE USO.

PL UWAGA
PROSZĘ PRZESTRZEGAC INSTRUKCJI MONTAZU.




OH 45MN






1

732	X1
-----	----





GLUE

X4






2

495	X8	928	X16
-----	----	-----	-----






EURO TF 6,3x9





3


340750	X 12
--------	------







6 PANS 7x50


434	X1
-----	----







4 604757 X 1
**x30**


331144 X 1







5 983 X 8

TR 4x9 CRUCI.






706 X 8







7	310042 X 2	907 X 4
		 VBA TR 3x16



8	310042 X 2	907 X 4
		 VBA TR 3x16

7199 X 2

Lg: 993 mm

